






Color Pilot 18.0 System Requirements

The following are the minimum system requirements for Color Pilot 18.0. Exceeding these requirements will in most cases lead to a performance increase. Running Color Pilot on a system that does not meet these requirements is not supported.

Minimum requirements

| Minimum System Requirements for Color Pilot 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|----|----|----|----|----|--|---|---|---|---|------------------------------------|---|---|---|---|-----------------------------------|---|---|---|---|------------------------|---|---|---|---|------------------------|---|---|---|---|------------------------|---|---|---|---|
| Processor type and speed | x86 (32-bit) or x64 (64-bit) compatible processor (Intel or AMD), minimum dual-core. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RAM | Minimum 8GB RAM.  For more information about memory limitations in Windows operating systems, please consult this table . | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Available hard drive space | An NTFS volume is required. The software takes maximum 1 GB of disk space. But take into account the need for storage of temporary and production data. A backup solution is strongly advised. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Network | 10/100/1000 Base-T Ethernet, TCP/IP v4 protocol, TCP/IP v6 protocol is not supported.  In order to use the PantoneLIVE cloud subscription service, an internet connection and a PantoneLIVE account are required. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Graphics card and video drivers | Minimum 1280 x 1024 resolution, true color depth. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Virtualization | Not supported. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Supported Spectrophotometers | The following spectrophotometers are supported via a USB port: <ul style="list-style-type: none"> • Barbieri Spectro Swing (no support for spot measurements!) • X-Rite Eye-One IO (generation 1 and 2) • X-Rite Eye-One Pro (generation 1 and 2) • X-Rite eXact: <ul style="list-style-type: none"> • Bluetooth connection not supported! • An aperture of 2 mm is recommended for accurate measurements Supported measurement conditions: <table border="1" data-bbox="292 1304 989 1564"> <thead> <tr> <th></th> <th>M0</th> <th>M1</th> <th>M2</th> <th>M3</th> </tr> </thead> <tbody> <tr> <td>i1Pro 1 / i1iO 1st generation (non UV)</td> <td>v</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>i1Pro 1 / i1iO 1st generation (UV)</td> <td>-</td> <td>-</td> <td>v</td> <td>-</td> </tr> <tr> <td>i1Pro 2 / i1iO 2nd generation (*)</td> <td>v</td> <td>v</td> <td>v</td> <td>-</td> </tr> <tr> <td>eXact – spot mode (**)</td> <td>v</td> <td>v</td> <td>v</td> <td>v</td> </tr> <tr> <td>eXact – scan mode (**)</td> <td>v</td> <td>v</td> <td>v</td> <td>v</td> </tr> <tr> <td>Barbieri Spectro Swing</td> <td>v</td> <td>-</td> <td>-</td> <td>-</td> </tr> </tbody> </table>  i1iO firmware 1.0.8 required! – (**) USB connection only, Bluetooth not supported! | | M0 | M1 | M2 | M3 | i1Pro 1 / i1iO 1st generation (non UV) | v | - | - | - | i1Pro 1 / i1iO 1st generation (UV) | - | - | v | - | i1Pro 2 / i1iO 2nd generation (*) | v | v | v | - | eXact – spot mode (**) | v | v | v | v | eXact – scan mode (**) | v | v | v | v | Barbieri Spectro Swing | v | - | - | - |
| | M0 | M1 | M2 | M3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| i1Pro 1 / i1iO 1st generation (non UV) | v | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| i1Pro 1 / i1iO 1st generation (UV) | - | - | v | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| i1Pro 2 / i1iO 2nd generation (*) | v | v | v | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| eXact – spot mode (**) | v | v | v | v | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| eXact – scan mode (**) | v | v | v | v | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Barbieri Spectro Swing | v | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| |  Check the manufacturer's website for drivers available for your specific operating system. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| System Requirements | |
|---------------------|-------------|
| Applies to | Color Pilot |
| Version | 18.0 |
| Last revised | 29 May 2018 |

 **Useful Links**

Software downloads: mysoftware.esko.com

Contents

- [Minimum requirements](#)
 - [Supported Operating Systems](#)
 - [Windows Server 2012 R2](#)
 - [Windows Server 2012](#)
 - [Windows Server 2008 R2](#)
 - [Windows Server 2008](#)
 - [Windows 10](#)
 - [Windows 8.1](#)
 - [Windows 8](#)
 - [Windows 7](#)

Supported Operating Systems

Recommended operating systems are highlighted in green in the tables below.



If an operating system is not listed in the tables below, it is not supported. Do not try to install Color Engine Pilot on a computer running an unsupported operating system.

Windows Server 2012 R2

| Edition | 64-bit |
|-----------------------------------|--------|
| Windows Server 2012 R2 Standard | ✓ |
| Windows Server 2012 R2 Datacenter | ✓ |

Windows Server 2012

| Edition | 64-bit |
|---------------------------------------|--------|
| Windows Server 2012 Standard | ✓ |
| Windows Server 2012 Datacenter | ✓ |
| Windows Server 2012 Essentials | ✗ |
| Windows Server 2012 Foundation | ✗ |
| Windows Storage Server 2012 Workgroup | ✗ |
| Windows Storage Server 2012 Standard | ✗ |

Windows Server 2008 R2

| Edition | 64-bit | |
|---------------------------------------|--------|-----|
| | | SP1 |
| Windows Server 2008 R2 Standard | ✗ | ✓ |
| Windows Server 2008 R2 Enterprise | ✗ | ✓ |
| Windows Server 2008 R2 Datacenter | ✗ | ✓ |
| Windows Small Business Server 2008 R2 | ✗ | ✗ |
| Windows Server 2008 R2 Foundation | ✗ | ✗ |
| Windows Web Server 2008 R2 | ✗ | ✗ |
| Windows Server 2008 R2 HPC Edition | ✗ | ✗ |

Windows Server 2008

| Edition | 32-bit | | 64-bit | |
|------------------------------------|--------|-----|--------|-----|
| | | SP2 | | SP2 |
| Windows Server 2008 Standard | ✗ | ✓ | ✗ | ✓ |
| Windows Server 2008 Enterprise | ✗ | ✓ | ✗ | ✓ |
| Windows Server 2008 Datacenter | ✗ | ✓ | ✗ | ✓ |
| Windows Small Business Server 2008 | ✗ | ✗ | ✗ | ✗ |
| Windows Web Server 2008 | ✗ | ✗ | ✗ | ✗ |
| Windows Server 2008 HPC Edition | ✗ | ✗ | ✗ | ✗ |

Windows 10

| Edition | 32-bit | 64-bit |
|-----------------|--------|--------|
| Windows 10 Home | ✗ | ✗ |

| | | |
|-----------------------|----|----|
| Windows 10 Pro | ✓* | ✓* |
| Windows 10 Enterprise | ✓* | ✓* |

* Windows 10 is supported in version 14.1.1 and newer.

Windows 8.1

| Edition | 32-bit | 64-bit |
|------------------------|--------|--------|
| Windows 8.1 | ✓ | ✓ |
| Windows 8.1 Pro | ✓ | ✓ |
| Windows 8.1 Enterprise | ✓ | ✓ |
| Windows RT | ✗ | ✗ |

Windows 8

| Edition | 32-bit | 64-bit |
|----------------------|--------|--------|
| Windows 8 | ✓ | ✓ |
| Windows 8 Pro | ✓ | ✓ |
| Windows 8 Enterprise | ✓ | ✓ |
| Windows RT | ✗ | ✗ |

Windows 7

| Edition | 32-bit | | 64-bit | |
|------------------------|--------|-----|--------|-----|
| | | SP1 | | SP1 |
| Windows 7 Home Basic | ✗ | ✗ | ✗ | ✗ |
| Windows 7 Home Premium | ✗ | ✗ | ✗ | ✗ |
| Windows 7 Professional | ✗ | ✓ | ✗ | ✓ |
| Windows 7 Enterprise | ✗ | ✓ | ✗ | ✓ |
| Windows 7 Ultimate | ✗ | ✓ | ✗ | ✓ |

Unsupported Operating Systems

- Windows Server 2003 (all editions)
- Windows XP
- Windows 2000
- Windows Vista